

# Trampoline - 150x250



# Description

The Rectangular shaped trampolines are dedicated for wheelchair users. The weatherproof jumping mat is available in 8 colours and many patterns to choose. The trampoline is equipped with galvanized springs for long term outdoor use.

The rubber collar is available in two options:

SBR - brown/red and black

EPDM - 24 different colours as per attached picture

Springs are made of galvanized steel, which are located around the jumping mat and connect the mat with internal galvanized chest.

## Product Details

- Dimension of the device: 1,5 x 2,5 m
- Dimension of the jumping mat: 1,0 x 2,0 m
- Safety area: 5,0 x 6,0 m
- Free fall height: 0,9 m
- Number of users: 1 person
- Foundation depth - 0,40 m
- Certificate confirming compatibility with norm EN 1176


## Included

- 1x jumping mat
- 1x elastic rubber collar
- 1x rectangle metal chest


## Materials

The jumping mat is made of lamellas coated with resistant and anti-slip material. Elastic collar around the jumping mat is made of SBR or EPDM rubber, which is durable and long-lasting. Rectangle shaped chest is made of galvanized steel.

# Safety Area



# Photos





## CERTIFICATE

**Certificate Number:** 2100700/01/P5BN/11

Certification program: P5BN

Certification type: 3 acc. to EN-ISO/IEC 17067:2013

**Licence holder:**

Inter System s.c.  
al. Przybyszewskiego 19/2  
71-277 Szczecin

**Manufacturing Plant:**

Inter System s.c.  
al. Przybyszewskiego 19/2  
71-277 Szczecin

**Product**

Orta-I 150 x 200  
Orta-I 150 x 250  
Orta-I 150 x 300

**Code**

MA-SA-41-I  
MA-SA-43-I  
MA-SA-46-I

**Product Identification**

Rectangle-shaped, integrative trampolines consisting of: steel frame, jumping mat made of plastic links and rubber surface stuck to the frame. Construction adapted for wheelchair users. Dimensions of trampolines: 150x200 cm; 150x250 cm; 150x300 cm.

It is hereby certified that the above mentioned products fulfill the requirements contained in:

**EN 1176-1:2017**

The right to use the certificate in the period from 17.12.2019 to 25.07.2022 concerns only the copies of the product, with the same properties (parameters) as the representative sample submitted for testing and with the requirements as defined above.

The certificate shall remain in force in condition of the holder complies with the contract and regulations.

Wrocław, 17.12.2019



DYREKTOR D.S. CERTYFIKACJI

Artur Zalewski

Expiry date: 25.07.2022





---

ENRICHING LIVES THROUGH CREATING INCLUSION WITH  
PLAYGROUND EQUIPMENT

---

Intre-stone Ltd  
Fosters Yard  
Station Road  
Langworth  
Lincoln  
LN3 5BD

GET IN TOUCH

01522 420091  
[enquiries@intrestone.co.uk](mailto:enquiries@intrestone.co.uk)  
[www.ambrestone.co.uk](http://www.ambrestone.co.uk)